

ThinkPad® T520 4243 (Onsite)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ⁹ rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Modem	Finger print reader	Blue-tooth	Bat-tery cells	Intel vPro	Global (G) GMP (P)	Pre-load
4243-4WU	i5-2520M	4GBx1	15.6" HD	720p	500G 7200	Intel 6205 ²⁸	WWAN upg	Modem	Finger	Blue	6	vPro	G P	Pro 64
4243-29U	i5-2520M	2GBx2	15.6" HD	720p	320G 7200	Intel 6205	WWAN upg			Blue	6	vPro	G P	Pro 64

- These models are part of the Global Models Plus program with limited onsite service²⁴ 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	<i>Premiere performance; two spindles</i> Intel® Core™ i5-2520M processor (dual-core, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology										Preloaded operating system²⁰ - Genuine Windows® 7 Professional 64			
Memory	8GB max ⁷ / PC3-10600 1333MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets										Ready to install applications¹⁴ (all OSes; only some listed) • Rescue and Recovery™ • Access Connections™ • Fingerprint Software (fingerprint models) • Password Manager (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • ThinkVantage Toolbox • Lenovo SimpleTap			
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive													
mSATA™ SSD	None													
Widescreen display	15.6" (396mm) HD (1366x768) color , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut													
Camera	HD720p resolution, wider view angle, low light sensitive, fixed focus													
Graphics	Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display; <i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)										Preloaded applications¹⁴ (all OSes; only some listed) • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Windows Live™ Essentials • Microsoft Office 2010 preloaded; purchase product key to activate • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)			
Keyboard TrackPoint®	7 row, 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys													
Touchpad	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass													
ThinkLight™	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions label, multi-touch Illuminates the keyboard to improve visibility in low-light conditions													
Dimensions (WxDxH) ³	<i>HD & HD+:</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>FHD:</i> 14.68" x 9.65" x 1.29-1.44"; 372.8mm x 245.1mm x 32.8-36.6mm													
Weight ²	<i>6-cell:</i> starting at 5.54 lb (2.51kg); <i>9-cell:</i> starting at 5.89 lb (2.67kg)													
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint													
Battery - type	Lithium Ion 6-cell or 9-cell, support optional Slice battery (57Y4545) as 2nd battery at bottom													
Battery - life ¹⁰	<i>6-cell:</i> up to 7.7 hr; <i>9-cell:</i> up to 12.8 hr; <i>9-cell plus slice battery:</i> up to 25.6 hr													
Chipset	Mobile Intel QM67 Express Chipset													
ExpressCard	One slot (ExpressCard/34)													
Smart Card Read	None													
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)													
Ports	<i>Integrated model:</i> Four USB 2.0 (one powered), <i>Optimus model:</i> Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)										Supports ThinkVantage® technologies			
PCIe Mini Card WLAN ⁴	Two PCI Express Mini Card slots													
WWAN	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable <i>Some:</i> 56K V.92 ⁶ modem													
Modem	Bluetooth 3.0 wireless, LED indicator													
Bluetooth™	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1													
Ethernet	Intel Active Management Technology (iAMT)													
Intel AMT	High Definition (HD) Audio, Conexant 20672 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack													
Audio support	Power-on password, hard disk password, supervisor password, security keyhole													
Security	Trusted Platform Module, TCG 1.2-compliant													
Security chip	<i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip										For compatible accessories, please go to O-T520 sheet;			
Fingerprint reader											For ThinkPlus™.22 service upgrade options, please go to S-TA sheet			
Limited warranty ¹²	3-years /1-year battery, limited onsite service²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time/ service upgrades ²² available													

See footnotes for more detailed information
US models announced February 22, 2011

ThinkPad® T520 4243 (Optimus) - Onsite

Personal Systems Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ³ rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Modem	Finger print reader	Blue-tooth	Battery cells	Intel vPro	Global (G) GMP (P)	Pre-load
4243-4UU	i7-2620M	4GBx1	15.6" HD+	720p	500G 7200	Intel 6205 ²⁸	WWAN upg	Modem	Finger	Blue	9	vPro	G P	Pro 64
4243-4VU	i5-2520M	4GBx1	15.6" HD	720p	500G 7200	Intel 6205	WWAN upg	Modem	Finger	Blue	9	vPro	G P	Pro 64
4243-28U	i5-2540M	2GBx2	15.6" HD+	720p	500G 7200	Intel 6205	WWAN upg			Blue	9	vPro	G P	Pro 64
4243-27U	i5-2520M	2GBx1	15.6" HD	720p	320G 7200	Intel 6205	WWAN upg				9	vPro	G P	Pro 64
4243-5UU	i7-2640M	4GBx1	15.6" HD+	720p	500G 7200	Intel 6205	WWAN upg	Modem	Finger	Blue	9	vPro	G P	Pro 64

- Part of the Global Models Plus program with limited onsite service²⁴ 3-year limited warranty
- Microsoft® Office 2010 Product Key Ready (O10PKR)

Positioning Processor	<p><i>Premiere performance; two spindles</i> Intel® Core™ i5-2520M processor (dual-core, 2.50GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology Intel Core i5-2540M processor (dual-core, 2.60GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-2620M processor (dual-core, 2.70GHz, 4MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.40GHz), HT technology Intel Core i7-2640M processor (dual-core, 2.80GHz, 4MB Cache), DDR3 memory controller (up to 1333MHz), Intel Turbo Boost 2.0 (3.50GHz), HT technology</p>										<p>Preloaded operating system²⁰ - Genuine Windows® 7 Professional 64</p> <p>Ready to install applications¹⁴ (all OSes; only some listed) • Rescue and Recovery™ • Access Connections™ • Fingerprint Software (fingerprint models) • Password Manager (fingerprint models)</p>
Memory	8GB max ⁷ / PC3-10600 1333MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets										<p>• ThinkVantage System Update • ThinkVantage Power Manager • ThinkVantage Toolbox • Lenovo SimpleTap</p>
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive										<p>Preloaded applications¹⁴ (all OSes; only some listed) • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Windows Live™ Essentials • Microsoft Office 2010 preloaded; purchase product key to activate • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)</p>
mSATA™ SSD	None										
Widescreen display	<i>Some:</i> 15.6" (396mm) HD (1366x768) color , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut <i>Some:</i> 15.6" (396mm) HD+ (1600x900) color , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut										
Camera	HD720p resolution, wider view angle, low light sensitive, fixed focus										
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 3000 in processor, and NVIDIA NVS™ 4200M , PCI Express® x16, 1GB memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports three independent displays; <i>Maximum external resolution:</i> 2560x1600 (DisplayPort)@60Hz; 2048x1536 (VGA)@85Hz; 1920x1200@60Hz (single-link DVI-D via cable 45J7915)										
Keyboard TrackPoint® Touchpad ThinkLight™	7 row, 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions label, multi-touch Illuminates the keyboard to improve visibility in low-light conditions										
Dimensions (WxDxH) ³	<i>HD & HD+:</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>FHD:</i> 14.68" x 9.65" x 1.29-1.44"; 372.8mm x 245.1mm x 32.8-36.6mm										
Weight ²	6-cell: starting at 5.67 lb (2.57kg); 9-cell: starting at 6.02 lb (2.73kg)										
Case material	<i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint										
Battery - type	Lithium Ion 6-cell or 9-cell, support optional Slice battery (57Y4545) as 2nd battery at bottom										
Battery - life ¹⁰	6-cell: up to 8.4 hr; 9-cell: up to 14.0 hr; 9-cell plus slice battery: up to 28.1 hr										
Chipset	Mobile Intel QM67 Express Chipset										
ExpressCard	One slot (ExpressCard/34)										
Smart Card Read	None										
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC)										
Ports	<i>Integrated model:</i> Four USB 2.0 (one powered), <i>Optimus model:</i> Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)										Supports ThinkVantage® technologies
PCIe Mini Card WLAN ⁴	Two PCI Express Mini Card slots										90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
WWAN	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2										
Modem	Wireless WAN upgradable <i>Some:</i> 56K V.92 ⁶ modem										
Bluetooth™	<i>Some:</i> Bluetooth 3.0 wireless, LED indicator										
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1										
Intel AMT	Intel Active Management Technology (iAMT)										
Audio support	High Definition (HD) Audio, Conexant 20672 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack										
Security	Power-on password, hard disk password, supervisor password, security keyhole										
Security chip	Trusted Platform Module, TCG 1.2-compliant										
Fingerprint reader	<i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip										For compatible accessories, please go to O-T520 sheet;
Limited warranty ¹²	3-years/1-year battery, limited onsite service²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades ²² available										For ThinkPlus™, ²² service upgrade options, please go to S-TA sheet

See footnotes for more detailed information
 US model(s) announced February 22 or October 11, 2011

ThinkPad® T520i 4239 (TopSeller)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ³ rpm	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Modem	Finger print reader	Blue-tooth	Bat-tery cells	Intel vPro	Preload
4239-47U	i3-2310M	4GBx1	15.6" HD	720p	320G 7200	Intel 1000	WWAN upg	None	None		6	None	Pro 64
4239-4LU	i3-2350M	4GBx1	15.6" HD	720p	320G 7200	Intel 1000	WWAN upg	None	None	Blue	6	None	Pro 64

- **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**
- **Microsoft® Office 2010 Product Key Ready (O10PKR)**

Positioning Processor	<i>Premiere performance; two spindles</i> Intel® Core™ i3-2310M processor (dual-core, 2.10GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), HT technology Intel Core i3-2350M processor (dual-core, 2.30GHz, 3MB Cache), DDR3 memory controller (up to 1333MHz), HT technology										Preloaded operating system²⁰ - Genuine Windows® 7 Professional 64	
Memory	8GB max ⁷ / PC3-10600 1333MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets										Ready to install applications¹⁴ (all OSes; only some listed) • Rescue and Recovery™ • Access Connections™ • Fingerprint Software (fingerprint models) • Password Manager (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • ThinkVantage Toolbox • Lenovo SimpleTap	
Optical Ultrabay SATA disk	DVD burner, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 3.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> HDD / SATA 3.0Gb/s, 2.5" wide, 7mm or 9.5mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive										Preloaded applications¹⁴ (all OSes; only some listed) • Norton™ Internet Security 2011 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Windows Live™ Essentials • Microsoft Office 2010 preloaded; purchase product key to activate • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)	
mSATA™ SSD	None											
Widescreen display Camera	15.6" (396mm) HD (1366x768) color , anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut HD720p resolution, wider view angle, low light sensitive, fixed focus											
Graphics	Intel HD Graphics 3000 in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display; <i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)											
Keyboard TrackPoint® Touchpad ThinkLight™	7 row, 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions label, multi-touch Illuminates the keyboard to improve visibility in low-light conditions											
Dimensions (WxDxH) ³ Weight ² Case material	<i>HD & HD+:</i> 14.68" x 9.65" x 1.25-1.40"; 372.8mm x 245.1mm x 31.8-35.6mm <i>FHD:</i> 14.68" x 9.65" x 1.29-1.44"; 372.8mm x 245.1mm x 32.8-36.6mm <i>6-cell:</i> starting at 5.54 lb (2.51kg); <i>9-cell:</i> starting at 5.89 lb (2.67kg) <i>Display cover:</i> Carbon-fiber / Glass-fiber hybrid; <i>Bottom:</i> Glass-fiber reinforced plastic without paint											
Battery - type Battery - life ¹⁰	Lithium Ion 6-cell or 9-cell, support optional Slice battery (57Y4545) as 2nd battery at bottom <i>6-cell:</i> up to 7.7 hr; <i>9-cell:</i> up to 12.8 hr; <i>9-cell plus slice battery:</i> up to 25.6 hr											
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM67 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) <i>Integrated model:</i> Four USB 2.0 (one powered), <i>Optimus model:</i> Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)											Supports ThinkVantage® technologies
PCIe Mini Card WLAN ⁴ WWAN Modem Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11b/g/n, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2 Wireless WAN upgradable None <i>Some:</i> Bluetooth 3.0 wireless, LED indicator Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 None High Definition (HD) Audio, Conexant 20672 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack											65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² via 800-426-7378
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant None											For compatible accessories, please go to O-T520 sheet; For ThinkPlus™.22 service upgrade options, please go to S-TA sheet
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available											

See footnotes for more detailed information
US model(s) announced March 1 or October 4, 2011