

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo IdeaPad S400u				
Model number *	20195;9630,20213;6312				
Issue date *	2012-6-15				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo IdeaPad S400u		
Issue date *	2012-6-15	Logo	lenovo.

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	\Box		
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	d 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo IdeaPad S400u		
Issue date *	2012-6-15	Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t me	et
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.	a.
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			<u></u>
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			T
P7.2*	Plastic materials in covers/housing have no surface coating.		一百		Ť
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ		寸
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	_	Ť
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ		╡
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	Ħ	-	十
	Product lifetime				_
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square		Т	┰
P7.8*	Upgrading can be done using commonly available tools		H		╡
P7.9.				_	┽
P7.10	Spare parts are available after end of production for: 5 years				┽
1 7.10	Service is available after end of production for: 5 years				
P7.11*	Material and substance requirements Product cover/housing material type:				
	Material type: PC+ABS-FR(40) Material type: Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes		Τ
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ħ			Ť
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	X			┿
P7.15	21 44 44 44 44 44 44 44 44 44 44 44 44 44				
	Note B2)			_	_
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)]
P7.17]
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>]
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier: 3. Chemical name: , CAS #: , Supplier:				
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)]
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.5% .				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				_
P7.22	Light sources are free from mercury	\boxtimes			1
P8	Batteries				
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC				T

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Model number * Lenovo IdeaPad S400u								
Issue date *	2012-6-1	5			I	Logo	leno	10 .	
Product environm	nental at	tributes - Market	requirements (co	ontinued)			Requirer	ment r	net
Item							Yes		n.a.
P9 Energy of	consumpt	ion							
9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.									
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / and test met	Standard fo hod *	r energy m	odes	
Peak (On-max)		65 W	65 W	65 W	Full load				
Category B/A					L				
Idle State - WOL En	abled	6.9764/5.548W	7.243/5.552 W	7.351/5.843 W	Use for Ene	ergy Star V5 r	egistration(F	o _{idle})	
Sleep (S3) - WOL El	nabled	0.5884/0.559 W	0.5943/0.558 W	0.6784/0.573W	Use for Ene	ergy Star V5 r	egistration(F	sleep)	
Sleep (S3) - WOL Di	isabled	0.538/0.541 W	0.544/0.555 W	0.624/0.572 W	Reference				
Off (S5) - WOL Enal	bled	0.3456/0.403 W	0.3517/0.404 W	0.4263/0.425 W	Use for Ene	ergy Star V5 r	egistration(F	off)	
Off (S5) - WOL Disa	bled	0.345/0.401W	0.358/0.399 W	0.424/0.421 W	Use for EuP)			
EPS No-load (External power support charger plugged in the outlet but disconnect the product.)	ne wall	0.131/0.136 W	0.135/0.143 W	0.203/0.166 W					
TEC Typical Energy Cons	umption	kWh/week	kWh/week	kWh/week					
ETEC * Annual Energy Cons	umption	20.666/17.188 kWh/year	21.404/17.203 kWh/year	22.153/18.091 kWh/year	0.1 + P _{idle} x	•		leep X	
		P _{off} : Off Mode(S5) - V	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	. Enabled; P _{idle} :	: Idle State - WO	OL Enabled		
Display resolution :	1280*800	Megapixels							
Print Speed :		Images per minu	te						
Default time to enter	energy sa	ve mode: 25 minute	S						
P9.2* Informati	9.2* Information about the energy save function is provided with the product.								

	- WOL Disabled	0.345/0.401	0.358/0.399 W	0.424/0.421 VV	Use for EUP	\sqcup
EPS No-	-load	0.131/0.136 W	0.135/0.143 W	0.203/0.166 W		\Box
	l power supply /					
charger p	plugged in the wal					
	t disconnected fro	om				
the produ	uct.)					
TEC		kWh/week	kWh/week	kWh/week		
Typical E	Energy Consumpti	ion				
ETEC *		20.666/17.188	21.404/17.203	22.153/18.091	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep})$	r 🗆
Annual E	Energy Consumpti	,	kWh/year	kWh/year	$0.1 + P_{idle} \times 0.3$)	
		P _{off} : Off Mode(\$5) -	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - WOL	L Enabled; P _{idle} : Idle State - WOL Enabled	
Display r	resolution : 1280	0*800 Megapixels				
Print Spe	eed :	Images per minu	ite			
Default ti	ime to enter energ	gy save mode: 25 minute	es			
P9.2*	9.2* Information about the energy save function is provided with the product.					
P9.3*	The product m	neets the energy requirer	ments of the followin	g voluntary program	n/s:	
		R® version: Version 5.0				
		: Energy Star for Exter	nal Power Supplies	s Eligibility Criteria	a Version 2	
P10	Emissions					
	Noise emission	on – Declared according	to ISO 9296			_
P10		on – Declared according Mode description	to ISO 9296	Declared	Declared A-weighted	
	Noise emission		to ISO 9296	A-weighted	Declared A-weighted sound pressure level $L_{p{ m Am}}$ (dB)	
	Noise emission		to ISO 9296	A-weighted sound power	sound pressure level $L_{p{\sf Am}}$ (dB)	
	Noise emission		to ISO 9296	A-weighted	sound pressure level $L_{p \rm Am}$ (dB) Operator position \square Bystander positions	
	Noise emission		to ISO 9296	A-weighted sound power	sound pressure level $L_{p \rm Am}$ (dB) Operator position \square Bystander positions Desktop \square (only if product is not	i
	Mode Mode	Mode description	to ISO 9296	A-weighted sound power level $L_{W\!Ad}$ (B)	$ \begin{array}{c c} \text{sound pressure level } L_{p \text{Am}} \text{ (dB)} \\ \hline \text{Operator position} & \\ \hline \text{Desktop} & \\ \text{or Desk side} & \\ \hline \end{array} \text{ (only if product is not operator attended)} $	i
	Mode Mode	Mode description * HDD: Idle	to ISO 9296	A-weighted sound power level L_{WAd} (B) * 3.0	sound pressure level $L_{p \rm Am}$ (dB) Operator position \boxtimes Bystander positions Obesktop \boxtimes (only if product is not operator attended) 23.7	i
	Mode Mode Idle Operation	Mode description	to ISO 9296	A-weighted sound power level $L_{W\!Ad}$ (B)	$ \begin{array}{c c} \text{sound pressure level } L_{p \text{Am}} \text{ (dB)} \\ \hline \text{Operator position} & \\ \hline \text{Desktop} & \\ \text{or Desk side} & \\ \hline \end{array} \text{ (only if product is not operator attended)} $	i
	Mode Mode Idle Operation Other mode	* HDD: Idle * HDD: Operating		A-weighted sound power level L_{WAd} (B) * 3.0	sound pressure level $L_{p \rm Am}$ (dB) Operator position \boxtimes Bystander positions Obesktop \boxtimes (only if product is not operator attended) 23.7	i
	Mode Mode Idle Operation	* HDD: Idle * HDD: Operating ording to: ISO7779	ECMA-74	A-weighted sound power level L_{WAd} (B) * 3.0 * 3.0	sound pressure level $L_{p \rm Am}$ (dB) Operator position Bystander positions Desktop (only if product is not operator attended) 23.7 26.1	i
	Mode Idle Operation Other mode Measured acc	* HDD: Idle * HDD: Operating	ECMA-74 (only if not cover	A-weighted sound power level L_{WAd} (B) * 3.0 * 3.0	sound pressure level $L_{p \rm Am}$ (dB) Operator position Bystander positions On Desktop Control (only if product is not operator attended) 23.7 26.1	i

Model number *		Lenovo IdeaPad S400u						
Issue da	te *	2012-6-15	Logo	lenovo.				
Product	t environi	mental attributes - Market requirements (continued)		Require	ment	met		
Item		· · · · · ·		Yes	No	n.a.		
	Chemic	al emissions from printing products						
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes		
P10.4		emission rate (print phase) is (mg/h):						
		Dust Ozone Styrene Benzene TVOC						
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :				\boxtimes		
			TVOC					
	Electro	magnetic emissions						
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follows: MPR-II	owing voluntary	\boxtimes				
P11	Consun	nable materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	ired (see P4.3).			\boxtimes		
P11.2*	Paper of EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	e requirements o					
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes		
P12	Ergono	mics for computing products						
P12.1*	The disp	olay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.	\boxtimes				
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			Ħ	一百		
P13	Packag	ing and documentation						
P13.1*	Product Product Product	packaging material type(s): Corrugated Carton weight (kg): 0.378 packaging material type(s): Polyethylene Cushions weight (kg): 0.058 packaging material type(s): Others weight (kg): 0.230						
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes				
P13.3*		media for user and product documentation (tick box): ic , Paper , Other						
P13.4*		er user and product documentation, please specify contained percentage of post-co (% (Japan only 70%)	nsumer recycled					
P14		nal information (See Note B4)						
D7 47	informat knowled provided informat		t is provided base te such informatio ccount Represent	ed on sup on. The in	plier's forma	i		
P7.17		t does not contain free TBBPA in printed circuit boards(without components)> ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, et		informat	ior:			
P9		ergy Star Quaimed (insert appropriate Product type; i.e. Desktop, Notebook, et ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate w		iiiTormat	ion:			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19