

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Server		
Commercial name *	ThinkServer TS130		
Model number *	1098,1100,1105,1106		
Issue date *	2011, December 22		
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other		
Additional information	ENERGY STAR® V1.1 Qualified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔲	

Model number *	ThinkServer TS130	MT : 1098,1100,11	105,1106
Issue date *	2011 , December 22	Logo	lenovo.

Product	roduct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.7*	Comment: Legal reference has no maximum concentration values. Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).	\boxtimes		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\square	$\overline{}$	
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		Ш	Ш
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square	П	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkServer TS130	MT : 1098,1100,1105,1106	
Issue date *	2011 , December 22	Logo lenovo	

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	Ш	Ш
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		
P7.2*	Plastic materials in covers/housing have no surface coating.	$\stackrel{\square}{\vdash}$		\dashv
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$- \stackrel{\triangle}{\vdash}$	∺
P7.4*			-	井
P7.4 P7.5	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			井
	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		_H	<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives		_	
				井
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		<u> </u>
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
P7.12	Material type: Stee1 Material type: ABS Material type:	_		
	Electrical cable insulation materials of power cables are PVC free.	井		
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ц.		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\underline{\underline{X}}$		<u> </u>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			
F7.10	Marking:			Ш
P7.17	Alt. 1			
. , ,	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #:			_
	Att 6			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4:		Ш	Ш
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:			_
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes		Ш
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		$\overline{}$	$\overline{}$
7.10	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		ш	ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 0 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury			X
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkServer TS130	MT : 1098,1100,	MT : 1098,1100,1105,1106	
Issue date *	2011 , December 22	Logo	lenovo.	

Product environmen	Product environmental attributes - Market requirements (continued) Requirement n				met	
Item	em Yes No n.					
P9 Energy consumption						
9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.						
Energy mode *	Energy mode * Power level at 100 V AC Power level at 230 V AC Reference / Standard for energy modes and test method *					
Max configuration (Red	dundancy PSU @60 Hz)					
Peak(On-max)	155.6 W	153.9 W	151.9 W	Use for Energy Star V1.1 registration		
Idle	<i>51.00</i> W	<i>55.09</i> W	<i>54.52</i> W	Use for Energy Star V1.1 registration		
Min configuration (Red	lundancy PSU @60 Hz)					
Peak(On-max)	138.4 W	136.6 W	134.5 W	Use for Energy Star V1.1 registration		
Idle	36.61 W	36.54 W	35.92 W	Use for Energy Star V1.1 registration		
Max configuration (Sin	gle PSU @60 Hz)					
Peak(On-max)	225.5 W	225.8 W	219.6 W	Use for Energy Star V1.1 registration		
Idle	107.7 W	116.6 W	105.9 W	Use for Energy Star V1.1 registration		
Min configuration (Sing	gle PSU @60 Hz)					
Peak(On-max)	156.4 W	144.1W	142.0W	Use for Energy Star V1.1 registration		
Idle	45.54 W	<i>38.03</i> W	<i>37.88</i> W	Use for Energy Star V1.1 registration		
EPS No-load	W	W	W			
(External power supply / charger plugged in the w outlet but disconnected the product.)	<i>r</i> all					
TEC Typical Energy Consum	ption kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consump	kWh/year otion	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$		
	P _{off} : Off Mode(S5) -	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled		
Display resolution : Me	egapixels					
Print Speed :	Images per minu	ute				
Default time to enter end	ergy save mode: minutes					
P9.2* Information	about the energy save fun	ction is provided with	the product.			
•			,, ,	n/s:		
P10 Emissions						
	sion - Declared according	to ISO 9296	Doolared	Declared A weighted		
P10.1 Mode	Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{ m Am}}$ (dB)		
			level L_{WAd} (B)	Operator position Bystander positions Desktop Only if product is not		
				operator attended)		
Idle	* HDD:Idel		* 4.1	29.8		
Operation Other mode	* HDD:Operating		* 4.2	31.1	Ш	
	ccording to: ISO7779					
P10.2 The product	Other			th L _{pAm} measurement distance m)		
1 10.2 The product	meets the acoustic noise	The product meets the acoustic noise requirements of the following voluntary program/s:				

Model number *	ThinkServer TS130	MT : 1098,1100,1105,1106
Issue date *	2011 , December 22	Logo lenovo

Product 6	environmental attributes - Market requirements (continued)	Require	ment	met
Item	• • • • • • • • • • • • • • • • • • • •	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions		_	
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 1.5 Product packaging material type(s): Recycled Molded Pulp Cushion weight (kg): 0.5			
	Product packaging material type(s): Weight (kg):			
	Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			\exists
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0 % (Japan only 70%)			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied	d, regard	ing the)
	information contained in this document. All information provided by supplier in this document is provided based	d on sup	plier's	
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			tion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation.	ative for	more	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkServer TS130	Logo
Model Number	MT:1098,1100,1105,1106	_
Issue Date	2014/4/14	lenovo.
Additional information	N/A	

(d)	year of manufacture:				See name plate of product	
(e)	internal/external power supply efficiency:					
	PC9008-EL1G	000/ 000/	500/ 05 0/	1000/ 000/		
	Power Efficiency :10% - Power Factor : 10% -	20% 82% 20% 0 .9	50% 85% 50% 0.9	100% 82% 100% 0.95		
	PS-5281-02VA					
	Power Efficiency :10% -	20% 82%	50% 85 %	100% 82%		
	Power Factor: 10% -	20% 0.9	50% 0.9	100% <i>0.95</i>		
	DPS-400CB B					
	Power Efficiency :10% -	20% 82%	50% 85%	100% <i>82%</i>		
	Power Factor: 10% -	20% 0.9	50% <i>0.9</i>	100% <i>0.95</i>		
(f)	supply system, — informatio -Test Voltage: 230V, Frequ -Total harmonic distortion:	n and documentuency: 50Hz <2% attion on the instr	tation on the rumentation :	instrumentation, set-up and ci	rmonic distortion of the electricity rcuits used for electrical testing: rmation ,	
. ,	supply system, — informatio -Test Voltage: 230V, Frequ -Total harmonic distortion: - Information and documenta	n and documentuency: 50Hz <2% attion on the instr	tation on the rumentation :	instrumentation, set-up and ci	rcuits used for electrical testing:	
(g)	supply system, — informatio -Test Voltage: 230V, Frequ -Total harmonic distortion: - Information and documenta - Set-up and circuits used for	n and documentuency: 50Hz <2% attion on the instr	tation on the rumentation :	instrumentation, set-up and ci	rcuits used for electrical testing: rmation ,	
(g) (h)	supply system, — informatio -Test Voltage: 230V, Frequ -Total harmonic distortion: - Information and documenta - Set-up and circuits used for maximum power (Watts)	n and documentuency: 50Hz <2% attion on the instr	tation on the rumentation :	instrumentation, set-up and ci	rmation , 118 36	
(g) (h)	supply system, — informatio -Test Voltage : 230V , Frequ -Total harmonic distortion : - Information and documenta - Set-up and circuits used for maximum power (Watts) idle state power (Watts) sleep mode power (Watts)	n and documentuency: 50Hz <2% attion on the instr	tation on the rumentation :	instrumentation, set-up and ci	rcuits used for electrical testing: rmation , 118	
(f) (g) (h) (i)	supply system, — informatio -Test Voltage : 230V , Frequ -Total harmonic distortion : - Information and documenta - Set-up and circuits used for maximum power (Watts) idle state power (Watts)	n and documentuency: 50Hz <2% attion on the instr	tation on the rumentation :	instrumentation, set-up and ci	rmation , 118 36	
(g) (h)	supply system, — informatio -Test Voltage : 230V , Frequ -Total harmonic distortion : - Information and documenta - Set-up and circuits used for maximum power (Watts) idle state power (Watts) sleep mode power (Watts)	n and document uency: 50Hz <2% ation on the instrict relectrical testing	tation on the umentation : rg: Please re	instrumentation, set-up and ci	rmation , 118 36 N/A	
(g) (h) (i)	supply system, — informatio -Test Voltage : 230V , Frequ -Total harmonic distortion : - Information and documenta - Set-up and circuits used for maximum power (Watts) idle state power (Watts) sleep mode power (Watts) off mode power (Watts)	on and documentuency: 50Hz <2% ation on the instrict relectrical testing	tation on the umentation : g: Please re	Please refer to additional information ation mentioned in points (e): US test method	rmation , 118 36 N/A	

Additional information -Information and documentation on the instrumentation Instrument I.D. Range Used Instrument Type Make and Model 1~280VAC;1~550HZ;1000V AC POWER SOURCE EC1000S; SN:9136092 Α8 HS-70W; SN:107Q05R B43 Digital Watch Full range B45 Power Meter 0~600V;0~20A WT210;SN:27D941999 Humidity/Temperature Sensor B48 15~30°C;12~89%RH Watchport/H;SN:W11492318 - Set-up and circuits used for electrical testing: Unit AC power supply 50Hz or 60Hz under

test

W: Wattmeter