



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Workstations and Servers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCHOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemer	nts given in this declaration.
Type of product *	SERVER
Commercial name *	Lenovo ThinkSystem SR950
Model number *	7X11,7X12,7X13
Issue date *	2018-03-22
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	7X11,7X12,7X13	Logo	Lon		
Issue dat	e *	2018-03-22		Lend		J _{th}
Product	environ	mental attributes - Legal requirements		Require	men	met
Item		·		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachl				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.	ANIMUM			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl	orinated			
		/I (PCT) in preparations (see legal reference).	Siliated		ш	
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb	on atoms in the			
	chain co	intaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/week			
		al reference).				
- · - ·		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_	
P1.7*		Article 33 information about substances in articles is available at (add URL or mail of	ontact):	\boxtimes	Ш	
		ww.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie				_	
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	ne disposai	\boxtimes	Ш	
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium (See legal	\square	$\overline{}$	
1 2.2	reference		idili. (See legal			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).	\boxtimes		
		claration of Conformity can be requested at (add link or e-mail address):				
		vww.lenovo.com/social_responsibility/us/en/ec_doc_servers/;				
		vww.lenovo.com/social_responsibility/us/en/ec_doc_systemx/				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
		al reference).				
	Require	d information is; given in item P15 or added to this document,			Ш	
		available at (add URL):				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium an	d 🔀		
P5.2*		ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature c	of the material/s	1	_	
F 0.Z		kaging materials are marked with abbreviations and numbers indicating the nature c se legal reference).	i ine material(S	s) <u> </u>	Ш	Ш
P5.3*		duct packaging material is free from ozone depleting substances as specified in the M	ontreal Protoco	ol 🔀		
	(see leg	al reference).				
	Comme	nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Issue date * 2018-03-22	Model number *	7X11,7X12,7X13	Logo	Lanova
	Issue date *	2018-03-22		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	·	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: Steel Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	<u> </u>		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 50%.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7X11,7X12,7X13	Logo	Lanova
Issue date *	2018-03-22		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements (
P7.21*	Biobased plastic r	naterial content is used	in the product (See NC)TE B7):		
		ne of the two alternatives ic parts' weight > 25 g, to y weight) is %.			ated as a percentage of	
	or	of the highest delection	octorial in a			
P7.22*		of the biobased plastic market from mercury, i.e. I				
1 7.22		specify: Number of lam		m mercury content pe	er lamp: mg	
P8	Batteries			•	•	
P8.1*	Battery chemical	composition: Lithium M	langanese Dioxide			
P9		otion (See NOTE B8)				
P9.1		e following power levels			T	
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Category	<u>/</u>					
Idle State - Configurat		W	W	211 W		
Idle State - Configurat		W	W	206 W		
Idle State - Configurat		W	W	516 W		
Idle State - Configurat		W	W	257 W		
EPS No-loa (External power si	ad upply / charger plugged in the connected from the product.)	W	W	W		
PTEC *	ergy Consumption	W	W	W		
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	
Futamal Da	C Efficie				ed; P _{idle} : Idle State - WOL Enabled	
	,	ncy Level (International	Efficiency Marking Pro	1000)		
Display res		negapixels				X
	e to enter energy s					Щ
P9.2*		the energy save function	on is provided with the p	product.		Ш
P9.3	· · ·	class (monitors only):				
P10	Emissions	Dealers descending to	100 0000 (0 NOTE	D0)		
P10.1		 Declared according to Mode description 	150 9296 (See NOTE		it A weighted sound newer level /	(B)
1 10.1		* HDD Idle		* 5.79	it A-weighted sound power level, $L_{WA,c}$	(0)
	Operation	* HDD Operating		* 5.77		\vdash
		Declared A-weighted sound	I pressure level (dB) r .	57.9 (operator posi	tion desktop – idle)	
		Declared A-weighted sound			tion desktop – operating)	
				Jr.r (operator posi	uon desktop – operating)	
	Measured accord	ing to: SO 7779 Other	ECMA-74	FCMΔ-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

see http://www.ecma-international.org/publications/standards/Ecma-570.n

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nur	nber *	7X11,7X12,7X13					Logo	Leno	1/0	
Issue date	*	2018-03-22						Leno	VO,	н
Product	environn	nental attributes	- Market requirem	nents (co	ntinued)			Require	ment	met
Item								Yes	No	n.a.
	Electron	nagnetic emissions	3							
P10.4	Compute program		requirement for low f	requency e	electromagne	etic fields of the fol	lowing voluntar	У		
P12		nics for computing								
P12.1*			omic requirements of				gies.			\boxtimes
P12.2*			eets the requirements	of ISO 999	95 and ISO	9241-410.				\boxtimes
P13		ng and documenta								
P13.1*	Product Product	packaging material t	ype(s): HDPE Foam	weight (kg weight (kg weight (kg weight (kg	g): 9 g): 3.4					
P13.2*	Product	plastic primary pack	aging is free from PV	C.				\boxtimes		
P13.3*		duct primary corrugater recovered fiber co	ated fiberboard pack	aging, spe	cify the con	tained percentage	of minimum p	post-		
P13.4*			roduct documentation	n (tick box)	:					
P13.5	Ùser and		em if paper documen ation on paper media							
	,	hlorine-free al chlorine-free								
	Processe	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The proc	duct meets the requi	rements of the followi	ing volunta	ry program(s	s):				
	Eco-labe		Criteria version: V2 . Criteria version: Criteria version:	.1	Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se								
P9			ecific configuration							
	informati knowled	ion contained in this ge available at the ti here is approximate	epresentations, guara document. All informa me of completion, and e and provided for info	ation provided supplier s	ded by supp shall have n	lier in this docume o obligation to update	nt is provided bate such inform	pased on supposation. The inf	olier's formati	ion
P9			otebooks & Tablet Co dex.cfm?fuseaction=				_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet

- Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ThinkSystem SR950	Logo		
Model Number	7X11,7X12,7X13		Lonovo	
Issue Date	2018-03-22		Lenovo.	
Additional information				

(d)	Year of manufacture:				on product label
e)	Internal/external power supply e	fficiency:			<u> </u>
,	700-014190-1500	·			
	Power Efficiency :10% 91.19% DPS-1600AB-11 X	20% 94.09 %	50% 95.31%	100% 93.85 %	
	Power Efficiency :10% 92.59%	20% 94.84%	50% 95.2%	100% 93.49 %	
	700-014189-1500				
	Power Efficiency :10% 91.62% FSF056	20% 94.11%	50% 94.84%	100% 94.68 %	
	Power Efficiency :10% 91.74%	20% 94.1%	50% 95.02%	100% 93.26%	
	ŕ				
(f)	Test parameters for measureme	nts:			
(•)	test voltage in V and frequence				
	 total harmonic distortion of th 	e electricity supply			t e e
	 information and documentation 	on on the instrumer	ntation, set-up a	nd circuits used for electrica	I testing:
	-Test Voltage : 230V, Frequence	cy: <i>50Hz</i>			
	-Total harmonic distortion : <29	,			
	- Information and documentation				,
	- Set-up and circuits used for ele	ectrical testing: Ple	ease refer to add	itional information	
(g)	Maximum power (Watts)				
(0)	• • • •				1598
(h)	Idle state power (Watts)				
					516
(i)	Sleep mode power (Watts)				AI/A
					N/A
/i\	Off mode power (Watts)				41
(J)					41
(j)					47
	Measurement methodology use			ed in points (e):	
	Measurement methodology use 80 Plus / Plugload solutions			ed in points (e):	
(l-1)	80 Plus / Plugload solutions	neasurement met	hodology	,	
(l-1)		d to determine info	hodology	,	
(l-1)	Measurement methodology use Point P9.1 in the Product IT Eco	to determine infor Declaration:	mation mention	,	
(l-1)	80 Plus / Plugload solutions i Measurement methodology use	to determine infor Declaration:	mation mention	,	
(I-1) (I-2)	Measurement methodology use Point P9.1 in the Product IT Eco	d to determine information: Declaration: measurement me	hodology mation mention ethodology	,	
(I-1) (I-2)	Measurement methodology use Point P9.1 in the Product IT Eco	d to determine information: Declaration: measurement me	hodology mation mention ethodology	,	
(I-1) (I-2)	Measurement methodology use Point P9.1 in the Product IT Eco	d to determine information: Declaration: measurement me	mation mention ethodology	,	
(I-1) (I-2)	Measurement methodology user Point P9.1 in the Product IT Eco. IEC 62623 / IEC EN50564:2011 Onal information -Information and documentation Instrument I.D.	to determine information Declaration: measurement mea	mation mention ethodology ation	ed in maximum, idle, sleep,	off mode power as defined in
(I-1) (I-2)	Measurement methodology user Point P9.1 in the Product IT Eco. IEC 62623 / IEC EN50564:2011 Onal information -Information and documentation Instrument I.D.	d to determine information Declaration: measurement m	mation mention ethodology ation	ed in maximum, idle, sleep,	off mode power as defined in

