

**VPAT for Thinkpad Ultrabase Series 3 1.0**

|                |   |
|----------------|---|
| VPAT comments: | For a detailed description of the parent features and benefits, please refer to the following URL:<br><a href="http://shop.lenovo.com/SEUILibrary/controller/e/web/LenovoPortal/en_US/catalog.workflow.item.detail?GroupID=38&amp;Code=0A33932&amp;current-category-id=9B7E41BDCE704020B8E567C67D3FA082&amp;&amp;hide_menu_area=yes">http://shop.lenovo.com/SEUILibrary/controller/e/web/LenovoPortal/en_US/catalog.workflow.item.detail?GroupID=38&amp;Code=0A33932&amp;current-category-id=9B7E41BDCE704020B8E567C67D3FA082&amp;&amp;hide_menu_area=yes</a> |
|----------------|---|

**VPAT Summary**

| Criteria  | Status         | Remarks and Explanations                                |
|---|----------------|---|
| Section 1194.21 Software Applications and Operating Systems   | Not applicable | Not applicable  |
| Section 1194.22 Web-based Internet information & applications | Not applicable | Not applicable  |
| Section 1194.23 Telecommunications Products                   | Supports       | Refer to Section 1194.23 in VPAT Details section below. |
| Section 1194.24 Video and Multi-media Products                | Not applicable | Not applicable  |
| Section 1194.25 Self-Contained, Closed Products               | Supports       | Refer to Section 1194.25 in VPAT Details section below. |
| Section 1194.26 Desktop and Portable Computers                | Supports       | Refer to Section 1194.26 in VPAT Details section below. |
| Section 1194.31 Functional Performance Criteria               | Supports       | Refer to Section 1194.31 in VPAT Details section below. |
| Section 1194.41 Information, Documentation, and Support       | Supports       | Refer to Section 1194.41 in VPAT Details section below. |

**VPAT Details**

**Section 1194.23 Telecommunications Products - Detail**

| Criteria   | Supporting Features | Remarks and Explanations |
|--|---------------------|--------------------------|
| (a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use. | Not applicable      |                          |
| (b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non proprietary standard TTY signal protocols.  | Not applicable      |                          |
| (c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.  | Not applicable      |                          |
| (d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunication systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.                    | Not applicable      |                          |
| (e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs and for users who cannot see displays.  | Not applicable      |                          |
| (f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.  | Not applicable      |                          |
| (g) If the telecommunications product allows a user to adjust the receiver volume, a function shall be provided to automatically reset the volume to the default level after every use.  | Not applicable      |                          |
| (h) Where a telecommunications product delivers  | Not applicable      |                          |

| Criteria   | Supporting Features  | Remarks and Explanations              |
|--|--|---------------------------------------|
| output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.  |  |                                       |
| (i) Interface to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.   | Not applicable   |                                       |
| (j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery. | Not applicable   |                                       |
| (k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.   | Not applicable   |                                       |
| (k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum   | Supports:<br>Controls and latches can be reached and operated using one hand and require minimal dexterity for ease of use by mobility impaired users. | Product meets accessibility criteria. |
| (k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.  | Not applicable   |                                       |
| (k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.  | Not applicable   |                                       |

### Section 1194.25 Self-Contained, Closed Products - Detail

| Criteria   | Supporting Features | Remarks and Explanations |
|--|---------------------|--------------------------|
| (a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.   | Not applicable      |                          |
| (b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.  | Not applicable      |                          |
| (c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).  | Not applicable      |                          |
| (d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.  | Not applicable      |                          |
| (e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime. | Not applicable      |                          |
| (f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65   | Not applicable      |                          |

| Criteria   | Supporting Features  | Remarks and Explanations              |
|--|--|---------------------------------------|
| dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.  |  |                                       |
| (g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.   | Supports:<br>Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments. | Product meets accessibility criteria. |
| (h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.  | Not applicable   |                                       |
| (i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.   | Not applicable   |                                       |
| (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.<br><br>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.<br><br>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.<br><br>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane. | Not applicable   |                                       |

## Section 1194.26 Desktop and Portable Computers - Detail

| Criteria  | Supporting Features  | Remarks and Explanations              |
|---|--|---------------------------------------|
| (a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).   | Supports:<br>See 1194.23(k) 1 through 4.   | Product meets accessibility criteria. |
| (b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).   | Not applicable   |                                       |
| (c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided. | Not applicable   |                                       |
| (d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards.   | Supports:<br>The product design uses industry standard ports so that alternative equipment and assistive technologies can be accommodated. | Product meets accessibility criteria. |

## Section 1194.31 Functional Performance - Detail

| Criteria   | Supporting Features  | Remarks and Explanations              |
|--|--|---------------------------------------|
| (a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.   | Supports:<br>See the following for supporting features:<br>- 1194.21 a, b, c, d, e, f, h, i, l<br>- 1194.22 all<br>- 1194.23 k1, k4<br>- 1194.24 d<br>- 1194.25 a, b, c, e, f, g<br>- 1194.26 b, d | Product meets accessibility criteria. |
| (b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people what are visually impaired shall be provided. | Supports:<br>See the following for supporting features:<br>- 1194.21 c, g, i, j, l<br>- 1194.22 n<br>- 1194.25 h<br>- 1194.26 d  | Product meets accessibility criteria. |
| (c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.   | Supports:<br>See the following for supporting features:<br>- 1194.22 b, m<br>- 1194.23 k4<br>- 1194.24 c<br>- 1194.25 e, f   | Product meets accessibility criteria. |
| (d) Where audio information is important for the use of the product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.   | Supports:<br>See the following for supporting features:<br>- 1194.23 k4<br>- 1194.25 e, f  | Product meets accessibility criteria. |
| (e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.  | Not applicable   |                                       |
| (f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.  | Supports:<br>See the following for supporting features:<br>- 1194.21 a, b<br>- 1194.22 l, p<br>- 1194.23 k1, k2, k3<br>- 1194.25 b, j1, j2, j3, j4<br>- 1194.26 d                                  | Product meets accessibility criteria. |

## Section 1194.41 Information, Documentation, and Support - Detail

| Criteria  | Supporting Features  | Remarks and Explanations              |
|---|--|---------------------------------------|
| (a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.   | Supports:<br>Product support documentation is provided in at least one accessible format.  | Product meets accessibility criteria. |
| (b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge. | Supports:<br>Documentation includes a description of accessibility and compatibility features that make it easier for people with disabilities to use the product. Those descriptions are available in alternate formats upon request. | Product meets accessibility criteria. |
| (c) Support services for products shall accommodate the communication needs of end-users with disabilities.   | Supports:<br>In addition to standard IBM help desk and support Web sites, IBM has established a TTY telephone service for use by deaf or hard of hearing customers to access sales and support services.                               | Product meets accessibility criteria. |

## Disclaimer

Lenovo provides this data for general information on an AS IS basis. For formal representations on particular proposals, please contact a Lenovo Client Representative or contact a Lenovo Federal Client Representative at 1-800-656-0833, Choose Option 1 , Extension - 6056.