

IBM NetVista 6824,8303 IBM ThinkCentre A30 (8434) BIOS 程式升級手冊

本手冊介紹 **IBM** 桌上型電腦
6824/8434-BIOS如何升級

底下所有內容，僅適用於下列數款**IBM**桌上型電腦
(Machine-Type:

NetVista 2289, 6824, 8181, 8182, 8301, 8303,
8304, 8305, 8306, 8307, 8308, 8309, 8310,
8311, 8312, 8313, 8314, 8315

ThinkCentre A30 (type 2296, 8191, 8198,
8199, 8316, 8434)

步驟一：請使用瀏覽器，連結至下列 IBM 台灣網站。

<http://www-306.ibm.com/pc/support/site.wss/document.do?Indocid=MIGR-42952>

IBM Personal computing support - (Critical update) Flash BIOS update - NetVista 2289, 6824, ...

檔案(F) 編輯(E) 檢視(V) 我的最愛(A) 工具(T) 說明(H) 連結 >>

網址(D) <http://www-306.ibm.com/pc/support/site.wss/document.do?Indocid=MIGR-42952> 移至

IBM

Home | Products & services | Support & downloads | My account

→ Select a country

Select a language

Personal computing support

Warranty

Automated solutions

Troubleshooting

Submit a request

Support phone list

Site feedback

Site help

Search PC support

Related links:

- Accessories & upgrades
- Business Partner support
- IBM PC Institute
- IBM Publications Center
- Find a Business Partner

(Critical update) Flash BIOS update - NetVista 2289, 6824, 8181, 8182, 8301, 8303, 8304, 8305, 8306, 8307, 8308, 8309, 8310, 8311, 8312, 8313, 8314, 8315 / ThinkCentre A30

↓ Applicable countries and regions

This package updates the basic input/output system (BIOS) on NetVista 2289, 6824, 8181, 8182, 8301, 8303, 8304, 8305, 8306, 8307, 8308, 8309, 8310, 8311, 8312, 8313, 8314, 8315 and ThinkCentre A30 (type 2296, 8191, 8198, 8199, 8316, 8434) systems.

BIOS is programming that controls low-level hardware operations, including interactions with diskette drives, hard disk drives, and the keyboard. The BIOS is stored on a chip. Your computer uses flash BIOS, which can be updated through a program on a flash diskette so that you do not have to replace the BIOS chip to update the BIOS.

NOTE: Make note of any settings you have changed in the BIOS Configuration Utility. These settings may have to be re-entered after updating the BIOS.


Print this file so that you can refer to it during the installation.

File details

Version	24KT54A	
Release Date	2004/06/17	
File link	File size	File description
24jt54a.exe	806,507	Flash BIOS update (bootable diskette version)
24jt54a.txt	14,556	Instructions for flash BIOS update (bootable diskette version)
24jy54usa.exe	1,756,748	Flash BIOS update (Flash from operating system version)

網際網路

步驟二：請找到 Flash BIOS update (Flash from operating system version) ，並請點選「 24jy54usa.exe 」，準備下載BIOS程式。




The screenshot shows the IBM support website for a Flash BIOS update. The page title is "(Critical update) Flash BIOS update - NetVista 2289, 6824, 8181, 8182, 8301, 8303, 8304, 8305, 8306, 8307, 8308, 8309, 8310, 8311, 8312, 8313, 8314, 8315 / ThinkCentre A30". The page includes a navigation menu, a sidebar with "Select a country" and "Select a language", and a main content area with a description of the BIOS update. A table of file details is shown at the bottom, with a red arrow pointing to the "24jy54usa.exe" file link.


請點選這裡

File details		
Version	24KT54A	
Release Date	2004/06/17	
File link	File size	File description
24jt54a.exe	806,507	Flash BIOS update (bootable diskette version)
24jt54a.txt	14,556	Instructions for flash BIOS update (bootable diskette version)
24jy54usa.exe	1,756,748	Flash BIOS update (Flash from operating system version)


步驟三：出現新的視窗「Terms and conditions」，並請點選「I agree」。




步驟四：出現下列視窗「檔案下載」，並請點選「儲存」。




步驟五：出現「另存新檔」視窗時，請將檔案儲存在C:\ 底下，
檔案儲存名稱爲：24jy54usa.exe




步驟六：打開電腦的「Windows檔案總管」，並請執行C:\24jy54usa.exe。




步驟七：出現下列視窗，並請點選「Next」。




步驟八：出現下列視窗，並請點選「I accept the terms」，之後請點選「Next」。




步驟九：出現下列視窗，並請點選「Next」。




步驟十：等待出現下列視窗，並請點選「Finish」。



步驟十一：打開電腦的「Windows檔案總管」，並請執行下列程式：
C:\ibmtools\FLASH\24JY54US\winplash.exe



步驟十二：出現下列視窗，並請點選「Flash BIOS」



步驟十三：出現下列警告訊息視窗，請確認下列三件事情之後，再點選「確定」。

- (1) 請確定電腦是用外接電源。
- (2) 在進行下一步驟之前，請儲存尚未存檔的資料，並關閉所有其他應用程式。
- (3) 當**BIOS**更新完畢之後，本台電腦將會自動關機。

請客戶確認上述三個敘述，並確實執行之後，按下「確定」按鈕，開始進行**BIOS**更新

