

Date: October 8, 2014

Name of Product: System x3850, System x3950 X5

VPAT Summary

Criteria	Status	Remarks and Explanations
Section 1194.21 Software Applications and Operating Systems	Not applicable	Not applicable
Section 1194.22 Web-based Internet information & applications	Supports with exceptions	Refer to Section 1194.22 in VPAT Details section below.
Section 1194.23 Telecommunications Products	Supports	Refer to Section 1194.23 in VPAT Details section below.
Section 1194.24 Video and Multi-media Products	Not applicable	Not applicable
Section 1194.25 Self-Contained, Closed Products	Supports	Refer to Section 1194.25 in VPAT Details section below.
Section 1194.26 Desktop and Portable Computers	Supports	Refer to Section 1194.26 in VPAT Details section below.
Section 1194.31 Functional Performance Criteria	Supports with exceptions	Refer to Section 1194.31 in VPAT Details section below.
Section 1194.41 Information, Documentation, and Support	Supports	Refer to Section 1194.41 in VPAT Details section below.

VPAT Details

Section 1194.22 Web-based Internet information and applications - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Does not support	The following component does not meet this criterion: - Integrated Management Module (IMM) module: Web interface - System status icon needs alt text. Refresh ICON needs alt text
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - No multimedia content
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Supports: Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments.	The following component meets this criterion: - IMM: Web interface - Color-coded information is redundantly coded by shape (for example a red X versus a yellow !).
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Supports: Web page content is readable without the use of a pre-defined style sheet, allowing low vision users to enable their own style sheets that enhance their viewing preferences.	The following component meets this criterion: - IMM: Web interface - There are some Cascading Style Shets. Turning them off still allows normal navigation though the cursor never changes to a pointer on a link on the left nav area.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - Image maps are not used

(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - Image maps are not used
(g) Row and column headers shall be identified for data tables.	Does not support	The following component does not meet this criterion: - IMM: Web interface - This has not been formally tested.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Does not support	The following component does not meet this criterion: - IMM: Web interface - This has not been formally tested.
(i) Frames shall be titled with text that facilitates frame identification and navigation.	Does not support	The following component does not meet this criterion: - IMM: Web interface - Titles for frame elements are not provided.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supports: The use of blinking text, objects or elements has been avoided, reducing risk of seizures for users with photosensitive epilepsy.	The following component meets this criterion: - IMM: Web interface - No blinking or flickering content. There are some progress indicators that use a spinning wheel, but the wheel is stationary relative to its starting position on the screen. Blue location LED icon does blink, but less than 2 Hz frequency.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - There are no alternative text-only pages since the pages' content is already composed primarily text.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Does not support	The following component does not meet this criterion: - IMM: Web interface - I had difficulty with the Navigation Panel. Once focus was out of panel, I could no longer traverse up and down. Never could figure out how to manipulate the twisties on the Nav Panel via keyboard.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	Does not support	The following component does not meet this criterion: - IMM: Web interface - Keyboard only navigation does not work on remote video menu but does on remote media applet. The OS' contrast settings do not get applied to Video Viewer window.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form,	Does not support	The following component does not meet this criterion: - IMM: Web interface - This has not been formally tested.

including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - Navigation tree is in a separate frame from the main content.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - No timed responses are required.

Section 1194.23 Telecommunications Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not applicable	
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non proprietary standard TTY signal protocols.	Not applicable	
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not applicable	
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunication systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not applicable	
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs and for users who cannot see displays.	Not applicable	
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not applicable	
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the	Not applicable	

default level after every use.		
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not applicable	
(i) Interface to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not applicable	
(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Not applicable	
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Not applicable	The following component does not apply to this criterion: - System x3850, System x3950 X5: Server - No keyboard provided with system. No other keys on system.
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum	Supports: Controls and latches can be reached and operated using one hand and require minimal dexterity for ease of use by mobility impaired users.	The following component meets this criterion: - System x3850, System x3950 X5: Server - Power button and DVD-ROM eject button both accessible and easy to operate.
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Supports: An option to change keyboard repeat rate is provided so users can adjust the rate to accommodate their needs.	The following component meets this criterion: - System x3850, System x3950 X5: Server - Keyboard repeat is OS dependent but supported in HW.
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	Supports: The status of locking and toggle controls or keys can be seen as well as distinguished by touch and/or sound when activated.	The following component meets this criterion: - System x3850, System x3950 X5: Server - Done with IBM standard keyboard which is not included with system but hardware supports this function.

Section 1194.25 Self-Contained, Closed Products - Detail

Criteria	Supporting Features	Remarks And Explanations
----------	---------------------	--------------------------

(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Not applicable	
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not applicable	The following component does not apply to this criterion: - System x3850, System x3950 X5: Server - No audible alerts post-OS.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not applicable	
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports: Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments.	The following component meets this criterion: - System x3850, System x3950 X5: Server - Color only used as enhancement for hot swap controls.
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not applicable	
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not applicable	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a	Not applicable	

<p>vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p> <p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p> <p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p> <p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>		
---	--	--

Section 1194.26 Desktop and Portable Computers - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Supports: See 1194.23(k) 1 through 4.	The following component meets this criterion: - System x3850, System x3950 X5: Server - Power button and DVD-ROM eject button both accessible and easy to operate.
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	The following component does not apply to this criterion: - System x3850, System x3950 X5: Server - No touchscreens in system.
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	The following component does not apply to this criterion: - System x3850, System x3950 X5: Server - No biometrics in system.
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly	Supports: The product design uses industry standard ports so that alternative	The following component meets this criterion:

available industry standards.	equipment and assistive technologies can be accommodated.	- System x3850, System x3950 X5: Server - USB and serial ports as well as PCI slots available for add-in cards.
-------------------------------	---	---

Section 1194.31 Functional Performance - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports with exception: See the following for supporting features: - 1194.22 all - 1194.23 k1, k4 - 1194.25 a, b, c, e, f, g - 1194.26 b, d	The following component meets this criterion: - System x3850, System x3950 X5: Server The following component meets this criterion with exceptions: - IMM: Web interface
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people what are visually impaired shall be provided.	Supports with exception: See the following for supporting features: - 1194.22 n	The following component meets this criterion: - System x3850, System x3950 X5: Server The following component does not meet this criterion: - IMM: Web interface
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Supports with exception: See the following for other supporting features: - 1194.22 b, m - 1194.23 k4 - 1194.25 e, f	The following component meets this criterion: - System x3850, System x3950 X5: Server The following component does not meet this criterion: - IMM: Web interface
(d) Where audio information is important for the use of the product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports: See the following for supporting features: - 1194.23 k4 - 1194.25 e, f	The following component meets this criterion: - System x3850, System x3950 X5: Server - IMM: Web interface - Audio not used.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not applicable	Speech is not used.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports with exception: See the following for supporting features: - 1194.22 l, p - 1194.23 k1, k2, k3 - 1194.25 b, j1, j2, j3, j4	The following component meets this criterion: - System x3850, System x3950 X5: Server

	- 1194.26 d	The following component does not meet this criterion: - IMM: Web interface
--	-------------	---

Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supports: Product support documentation is provided in at least one accessible format.	The following component meets this criterion: The documentation is in PDF format using a standard template. Minimal or no accessibility testing has been done. If you require an accessible version of the documentation it will be provided to you at no additional cost upon request. If you need an accessible version, send a request to dottieg@us.ibm.com . In the request make sure that you include the publication number and title. Alternative text is not provided for all images, but the images are introduced and described in the surrounding text. Headings, sections, lists are used. Bookmarks are provided. The only color in the documentation is related to cautions and warnings, in which case the anchor words always accompany the caution or warning icons. The documentation is in PDF format using a standard template. Tables use column and row headings to define relationships between cells. Bookmarks are provided. The default language of the reader is used. - System x3850, System x3950 X5 - IMM
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supports: Documentation includes a description of accessibility and compatibility features that make it easier for people with disabilities to use the product. Those descriptions are available in alternate formats upon request.	The following component meets this criterion: The documentation includes a section on the accessibility features of the product. - System x3850, System x3950 X5 - IMM
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports: In addition to standard IBM help desk and support Web sites, IBM has established a TTY telephone service for use by deaf or hard of hearing customers to access sales and support services.	

This document is for informational purposes only. THE INFORMATION PROVIDED IN THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED. Supporting features apply to product

families as a whole. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. For information on third party software and applications please contact the software manufacturer. Lenovo may make changes to the information in this document or to the products described in this document at any time without notice.